



Manufacturing Agriculture Equipments
Atkot-Jasdan Road, Atkot, Ta. Jasdan, Dist. Rajkot (gujrat)
Mo. 82382 80101, 82382 80303, 82382 80505
Email :- enquiry@vrundavanindustries.com
WWW.vrundavanindustries.com



Since last 35 years **VRUNDAVAN ENGINEERING WORKS** is engaged in the development of new & innovative agricultural products, now we have started new company named **Vrundavan Industries** which has been Founded by Mr.Vallabhbhai chhayani, Mr.Rajubhai Chhayani, and Mr.Jitubhai Chhayani joined the company taking on the responsibilities of marketing and production respectively.

Vrundavan Industries **An ISO 9001:2008** certified company. Vrundavan Industries is engaged in the manufacturing and supply of a complete range of machineries for cleaning, grading, handling of different kinds of seeds, grains, spices, pulses, oilseeds etc.

Vrundavan Industries number is sharply focused on building Quality & Excellence in all its activities to provide high quality products that gives utmost satisfaction to farmers across India also we are hold an export import license with a motto to provide a "Complete" Agro processing Today Vrundavan Industries has Wide Range of Farming Equipments and is the leading supplier across India and different parts of globe. Our Automatic And Manual products Like Seed Drill, Plough, Tiller, Tractor-Trolley, Multicrop Threshing System etc.

Vrundavan Industries is among the leader in the Farming industry and this is based on its unparalleled attention to customer's needs, combined with its superior technological know-how and production capacity. Thus this allows company to develop and offer a broad range of products, tailor-made to help its customers achieve optimum outcome in their farm sector.

Vrundavan Industries has installed the most modern cultivation equipments and is committed to environmental quality and social responsibility. Vrundavan Industries is focused on increasing its production capacity by using the world's most advanced technology in order to supply its customers with innovative products and superior technical service. This will allow it to create and supply more new products that help its customers stay at the leading edge.



Ground Nut Thresher

tractor operate 24hp to 65hp

Dimension : Model No. : VGTT-01

(L. : 170 inch) (w. : 48 inch) (H. : 108 inch)

Weight :-1180 Kg. Capacity 1 acre / hour

Structure Section:

L type angle - c type channel – strip – flat –
 sheet metal (glv) – m.s.plate – pipe square –
 screw jack

power transmission:

v.belt - pulley – bearing – shaft (50 m.m) –
 yoke join

method of work:

Its Seperate leaves branches, soil , stone
 & Ground nut from plant



Ground Nut Thresher

tractor operate 24hp to 65hp

Dimension : Model No. : VGTT-02

(L. : 172 inch) (w. : 48 inch) (H. :110 inch)

Weight :- 1240 Kg. Capacity 1 acre / hour

Structure Section:

L type angle - c type channel – strip – flat –
 sheet metal (glv) – m.s.plate – pipe square –
 screw jack

power transmission:

v.belt - pulley – bearing – shaft (50 m.m) –
 yoke join

method of work:

Its Seperate leaves branches, soil , stone
 & Ground nut from plant



Ground Nut Thresher

Oil Engine operated 5 hp to 6 hp

Dimension: Model No. : VGTE - 01

(L. : 103 inch) (w. : 38 inch) (H. : 83 inch)

Weight :- 400 Kg. Capacity 0.5 acre / hour

Structure Section:

L type angle - c type channel – strip – flat –
sheet metal (glv) – m.s.plate–pipe square

Power transmission:

belt – shaft – pulley – bearing

method of works:

It Separates leaves branches, soil, stone,
Ground nut from plant



Ground Nut Thresher

Oil Engine operated 8 hp to 12 hp

Dimension: Model No. : VGTE - 02

(L. : 108 inch) (w. : 40 inch) (H. : 90 inch)

Weight :- 480 Kg. Capacity 0.75 acre / hour

Structure Section:


L type angle - c type channel – strip – flat –
sheet metal (glv) – m.s.plate–pipe square

Power transmission:

belt – shaft – pulley – bearing

method of works:

It Separates leaves branches, soil, stone,
Ground nut from plant

**Ground Nut Thresher**

tractor operate 24hp to 45hp

Dimension: Model No. : VGTT- 04

(L. : 103 inch) (w. : 59 inch) (H. : 87 inch)

Weight :- 580 Kg. Capacity 0.75 acre / hour

Structure Section:

L type angle - c type channel – strip – flat – sheet metal (glv) – m.s.plate–pipe square

Power transmission:

v.belt – shaft – pulley – bearing - Yoke Join

method of works:

It Separates leaves branches, soil, stone, Ground nut from plant

**Multi crop Thresher**

Tractor operate 24hp to 65hp

Dimension: Model No. : VMTT-01

(L. : 110 inch) (w. : 48 inch) (H. : 78 inch)

Weight :- 1050 Kg. Capacity 1200 kg. / hour

Structure Section:

L type angle - c type channel – strip – flat – sheet metal g.n. – m.s.plate – pipe square – screw jack

Power transmission:

shaft – pulley – bearing- v.belt

method of works:

It can thresh

wheat, pearl millet, sorghum, green gram, sesame seed, cumin seed, canola, pigeon pea, chickpea, soyabean, fenugreek seed, castor canola



Decorticator Thresher

(Ele. Motor operate 2 hp to 5 hp)

Diamantion: Model No. : VGDM-01

(L. : 81 inch) (w. : 30 inch) (H. : 59 inch)

Weight :- 285 Kg. Capacity 300 Kg. / hour

Structure Section:

L type angle – strip – flat– sheet metal (glv) –
m.s.plate– pipe square

power transmission:

shaft – pulley – bearing – v.belt

method of works:

Dehusking of Garlic, shelling of Ground nut ,
castor decortivating



Grader

(Ele. Moter operater 2 hp to 5 hp)

Diamantion: Model No. :- VSGE - 01

(L. : 75 inch) (w. : 35 inch) (H. : 56 inch)

Weight :- 160 Kg. Capacity 300 kg Per hour

Structure Section:

L type angle – strip – flat – sheet metal (gvl)
m.s.plate–pipe square

Power transmission:

v.belt – shaft – pulley – bearing

method of works:

sieving all type an of grain



Multi Purpose Seed Drill Dubble Woofer

(spring legs)

tractor operate 24 hp to 65 hp

Dimension: Model No. : VSDT:-01

(L. : 88 inch) (w. : 39 inch) (H. : 53 inch)

Weight :- 380 Kg. Capacity 2 acre / hour

Structure Section:

L type angle – c type channel - strip – flat –
 sheet metal (glv) – m.s.plate – pipe square –
 Spring screw jack– rubber pipe

power transmission:

Rotary – square & Round bar – chain – sprocket
 - plastic bushing

method of work:

garlic , ground nut, castor , maize , chickpea ,
 soyabean , pigeon pea ,cotton, wheat , pearl
 millet , sorghum , green gram , cumin seed ,
 fenugreek seed , canola , sesame seed - It is
 used for seed sowing



Multi Purpose Seed Drill Dubble Woofer

tractor operate 24 hp to 65 hp

Dimension: Model No. :- VSDT:-06

(L. : 75 inch) (w. : 42 inch) (H. : 54 inch)

Weight :- 400 Kg. Capacity 2 acre / hour

Structure Section:

L type angle – c type channel - strip – flat –
 sheet metal (glv) – m.s.plate – pipe square –
 Spring screw jack– rubber pipe

power transmission:

rotary–square & Round bar– chain – sprocket -
 plastic bushing

method of works:

garlic , ground nut, castor , maize , chickpea ,
 soyabean , pigeon pea ,cotton, wheat , pearl
 millet , sorghum , green gram , cumin seed ,
 fenugreek seed , canola , sesame seed - It is
 used for seed sowing



Tractor trolly

tractor operate 24 hp to 65 hp

Dimension: Model No. :- VTT-01

(L. : 130 inch) (w. : 88 inch) (H. : 56 inch)


Weight :- 1480 Kg. Capacity 4500 Kg.

Structure Section & parts:

L type angle - C type channel - strip – flat –
 m.s.plate –shaft – pipe square –round & square
 bar –bearing – hydraulic jack – rubber pipe

method of works:

used in farm & agriculture



Chaff cutter

(ele. Motor operate 2 hp to 5 hp)

Dimension: Model No. : VSKT-02

(L. : 41 inch) (w. : 12 inch) (H. : 37 inch)

Weight :- 110 Kg. Capacity 450 Kg.

Structure Section:

L type angle - C type channel - strip – flat – m.s.plate –
 pipe square –round & square bar – wedding plough

Power transmission:

shaft - bearing – v.belt – pully

method of works:

banana leaves, maize, shorgum, millet, sugar cane,
 cotton stake, wet & dry grass cut in to pieces(31 to 40
 mm)

**Cultivator plough**

(9 legs)

tractor operate 24 hp to 65 hp

Dimension: Model No. : VCPT-01

(L. : 79 inch) (w. : 29 inch) (H. : 41 inch)

Weight :- 230 Kg. Capacity 1 acre / hour

Structure Section:

L type angle - strip – flat – m.s.plate –square
pipe – wedding plough – square bar

method of work:

Break the hard soil

**Cultivator plough**

(5 legs)

(tractor operate 24 hp to 65 hp)

Dimension: Model No. : VCPT-02

(L. : 78 inch) (w. : 33 inch) (H. : 41 inch)

Weight :- 210 Kg. Capacity 1.3 acre / hour

Structure Section:

L type angle - strip – flat – m.s.plate -square
pipe – wedding plough – square bar

method of work:

Break the hard soil



tractor operate 24 hp to 65 hp

Dimension: Model No. : VRPT-01

(L. : 66 inch) (w. : 52 inch) (H. : 48 inch)


Weight :- 330 Kg. Capacity 0.5 acre / hour

Structure Section & parts:

C type channel - strip – flat – m.s.plate – pipe
square – spring – Round & square bar –bearing
– wedding plough

method of work:

It Uplifts the soil , breaks and changes soil up
and down



farm leveling shovel

(tractor operate 24 hp to 65 hp)


Dimension: Model No. : VLT-01

(L. : 83 inch) (w. : 38 inch) (H. : 41 inch)

Weight :- 190 Kg. Capacity 1.5 acre / hour

Structure Section:

L type angle - strip – flat – m.s.plate – square
pipe – wedding plough



Cleaner

(tractor operate 12 hp to 35 hp)

&

(oil engine operate 5 hp to 10 hp)

&

(ele. Moter operate 2 hp)

Diamantion: Model No. :- VSGT-02
 (L. : 65 inch) (w. : 42 inch) (H. : 54 inch)
 Weight :- 310 Kg. Capacity 350 Kg. Per hour

Structure Section:

L type angle – strip – flat– sheet metal (glv) – m.s.plate–
 pipe square

power transmission:

shaft – pulley – bearing – v.belt-yoke joint

method of works:

garlic , ground nut, castor , maize , chickpea , soybean ,
 pigeon pea , wheat , pearl millet , sorghum , green gram ,
 cumin seed , fenugreek seed , canola , sesame seed
 cleaning and grading



Multi Purpose seed drill

Animal Operated

Diamension : Model No. VSDA 01
 (L : 38 inch) (W : 28 inch) (H : 40 inch)
 Weight : 24 Kg.

Structure Section :

Pipe Square, Pipe Round, Strip, Flat, Sheet Metal (Glv),
 Rubber Pipe.

Power Transmission :

Rottry, Square and Round bar, Chain, Sprocket,
 Plastic Bushing.

Method Of Work :

Garlic, Ground nut, Castor, Maize, Chickpea, Soyaben,
 Pigeonpea, Cottan, Wheat, Pearl Millet, Sorghum, Green Gram,
 Cumin Seed, Fenugreek Seed, Canola, Sesame Seed,
 It is used for seed working...



Our Product Sales in India...



Atkot-Jasdan Road, Atkot, Ta. Jasdan, Dist. Rajkot (gujrat)
Mo. 82382 80101, 82382 80303, 82382 80505
Email :- enquiry@vrundavanindustries.com
WWW.vrundavanindustries.com